

SELF-ADHERING MOD BIT ROOFING SYSTEMS



"The name trusted in roofing since 1906"



OUR PROMISE

THROUGH ONGOING INTERCHANGE OF EXPERIENCES WITH CONTRACTORS, MULE-HIDE KEEPS ON TOP OF THE LATEST ROOFING REQUIREMENTS AND SOLUTIONS

Trusted in roofing since 1906, Mule-Hide is the right choice for all kinds of installations. Our time-tested and proven systems are affordable and easy to install. They can meet even the strictest demands of today's commercial, industrial, and institutional buildings.

We can help you with everything from membrane selection to determining the best way to ensure a watertight roof. And because providing total roofing systems is our business, you can count on Mule-Hide to ensure the compatibility and performance of the components we provide with each system.

SYSTEM BENEFITS

FAST, VERSATILE, AND INSURANCE FRIENDLY

Mule-Hide Self-Adhering Mod Bit roofing systems install quickly and adhere to a wide range of substrates and baseplies without hot asphalt or flames. Ideal for low-slope and steeper slopes.

ENERGY EFFICIENT, ATTRACTIVE ROOFS

Available in twelve popular colors including standard white. Light-colored surfaces have been shown to reflect the sun's rays which reduces air-conditioning costs. Attractive ceramic granule surface cap sheets.

- No need to hire a kettle man and watch him idle below you as the rest of the crew is hard at work above
- Great for crew retention – cleaner and safer. It may even reduce insurance costs.
- Elevator portability for high-rise building projects
- Project Staging – SA Base Sheet can be exposed 90 days
- Reinforced membranes offer long-term, watertight integrity you can count on
- Ideal for building owners and facility managers who don't want hot asphalt, flames, or fumes near building occupants
- Fast growing in popularity with its minimal disruption to building operations and the environment

WARRANTY PROGRAM

Mule-Hide offers an extensive warranty program with several options for commercial projects, including Membrane Warranties, Standard System Warranties and Premium System Warranties. Complete information on the warranties can be found at our website: www.mulehide.com, under the Warranty Information tab.

A Mule-Hide representative inspects all commercial projects for which a Standard System Warranty or a Premium System Warranty is requested prior to the issuance of the warranty. To be eligible for a System Warranty (either Standard or Premium), the installing contractor must be a Mule-Hide Warranty Eligible contractor. More information on becoming a Mule-Hide Warranty Eligible Contractor can be found at our Web site: www.mulehide.com, under the Warranty Information tab.

Mule-Hide also offers a selection of Membrane Warranties that are available for residential (single family dwelling) projects.

REPAIRABLE

Mule-Hide Self-Adhering Mod Bit is manufactured with high-quality compounds so it remains repairable year after year, allowing for ease of future cutouts and tie-ins.

ENVIRONMENTALLY FRIENDLY

- Flame-free
- Fume-free
- Pollution-free

PRODUCT INFORMATION

FAST, CLEAN, INSURANCE FRIENDLY APPLICATION CAN MEAN LOWER LABOR AND INSURANCE COSTS, A SYSTEM THAT'S EASY TO SELL, AND CREW RETENTION

- *SEALLap*® extra adhesive selvage treatment on side and end laps offer instant bonding roll-to-roll and enhanced sealability – factory-quality field seams. Especially ideal under low temperature conditions.
- Granule-free *FASTLap*® speeds end laps and offers more reliable seams

STRENGTH

The latest in adhesive technology combined with proven waterproofing compounds. Our product has a “dual compound” reinforced membranes with proprietary adhesive formulation on the bottom surface. Patented *SEALLap*® & *FASTLap*® engineering provides stronger, more reliable seams and laps. Ideal for new construction and retrofit installations.

TRUSTED PERFORMANCE

Meet or exceed the same ASTM standards as traditional Mod Bit.

SA-APP Cap Sheets meet or exceed ASTM D6222. Type I and ASTM D1970.

SA-SBS Cap Sheets meet or exceed ASTM D6164. Type I and ASTM D1970.

SA Base Sheets meet or exceed ASTM D6163. Type I and ASTM D1970.

PREMIUM QUALITY, COMMERCIAL GRADE PRODUCTS WITH PROVEN PERFORMANCE

- Only our self-adhesive technology delivers a Self-Adhering APP Mod Bit. It's patented!
- 'True' SBS & APP compound on the top – the traditional formulations contractors have used for years in hot and cold applications, but with no asphalt bleed out and mess
- High performance polyester reinforced mat cap sheets, and fiberglass reinforced mat base sheets
- New generation pressure-sensitive adhesive
- Patented MVACC manufacturing process produces premium membranes that meet or exceed the same ASTM standards as traditional Mod Bit, plus meet ASTM D 1970
- Years of field-proven performance – winters and summers, hot and cold climates





SHEETS	ROLL SIZE	COVERAGE RATE
--------	-----------	---------------

BASE SHEETS

SA Base Sheet	65'-8" x 3'-3 3/8"	200 sq. ft.
SA Base Sheet (FR)	65'-8" x 3'-3 3/8"	200 sq. ft.
Nail Base	65'-8" x 3'-3 3/8"	200 sq. ft.

SBS CAP SHEETS

SA-SBS Cap Sheet (Granulated)	32'-10" x 3'-3 3/8"	100 sq. ft.
SA-SBS Cap Sheet (Fire Rated)	32'-10" x 3'-3 3/8"	100 sq. ft.

APP CAP SHEETS

SA-APP Cap Sheet (Granulated)	32'-10" x 3'-3 3/8"	100 sq. ft.
SA-APP Cap Sheet (Fire Rated)	32'-10" x 3'-3 3/8"	100 sq. ft.

Cap Sheets available in 10 standard colors and 2 special order colors: green (solid, no blend), and red (solid, no blend).



White



Weather Wood




Buff



Black



Chestnut



Red Blend



Oak



Pine Green



Gray Slate




Heather Blend



Green *(Special Order)*



Red *(Special Order)*



FASTLap® Patented Factory-Quality, Granule-Free End Laps


SEALLap® Patented Factory-Quality, Field Seams Due to Extra Adhesive on Side Laps & End Laps



WHY MULE-HIDE?

WE HELP YOU GROW YOUR BUSINESS


When you choose Mule-Hide roofing materials for a project, you get more than just the best products from a company that's been helping contractors for over a century now. We offer individualized service designed to help you get the job done right the first time – so you can get on to the next job, and get that one done right, as well. Mule-Hide products are available through the nation's largest distribution channel, and we truly care about your success.



SELF-ADHERING MOD BIT ACCESSORIES



- #421 Mod Bit Flashing Adhesive—Trowel Grade – Used for completion of flashings, seams, and sealing around penetrations. 3 or 5-gal. pail
- #271 Mod Bit Sealant – Used at terminations and flashings and in seams at end laps. 10.3-oz. tube
- #121 Asphalt Primer – Required to prime concrete, aged wood, masonry, and metallic surfaces prior to application of the self-adhering membranes. For systems using a base sheet, application is recommended prior to the application of the base sheet for best results. Apply only over dry, dust-free surfaces. Must be thoroughly dry to the touch before applying the self-adhering membrane. 14-oz can or 5-gal. pail.



WHAT SPECIAL SOLUTIONS SUPPORT MEANS TO YOU:

- Attention to detail
- Individualized assistance
- Project level technical assistance
- Alternative methods of installation



“The name trusted in roofing since 1906”

Customer Line: 800-786-1492 • www.mulehide.com

Check our website monthly for the latest updates & technical bulletins.

National Support Center • 1195 Prince Hall Drive • Beloit, WI 53511 • tel. 608.365.3111 • fax. 608.365.7852

The information herein should not be considered all-inclusive and should always be accompanied by a review of the Mule-Hide specifications and guidelines and good application practices.

This information herein is based upon data and knowledge considered to be true and accurate at the time of printing and is provided for the reader's consideration, investigation and verification. No statement made by anyone may supersede this information, except when done in writing by Mule-Hide Products Co., Inc. Mule-Hide Products Co., Inc. does not warrant any results to be obtained. Statements concerning possible use of Mule-Hide products are made without knowledge of your particular roof and such an application may not be fit for your particular purpose. MULE-HIDE DISCLAIMS ALL WARRANTIES, INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, except written warranties attached to Mule-Hide products and written warranties signed by an officer of Mule-Hide.

Visit the Mule-Hide website at www.mulehide.com prior to any installation for updated technical specifications and details. Mule-Hide, FastLap and SealLap are U.S. registered trademark. All rights reserved.

MAYO 420 BUILDING BROUGHT BACK TO LIFE



Built in 1910, during Tulsa's original oil boom, the Mayo Building was a proud landmark in the downtown that grew up around it. By 1994, however, the years had taken their toll and the last office tenant had moved out.

In 2008, Wiggin Properties bought the Mayo Building and set about redeveloping it as luxury rental apartments. “This project was a total redo. Half the roof was missing, there was extensive water damage and we had to completely replace all of the mechanicals,” Vice President Emily Rohleder said.

Contractor Don Watkins selected Mule-Hide Self-Adhering Mod Bit for the job, citing multiple reasons for his choice: “It's very durable and it looks good. It's very easy to apply, and because it is self-adhering, you don't need kettles or torches which makes it much safer,” he said. He also noted that this product comes in 40-inch rolls, which makes it easier to transport to rooftops than the typical seven- or 10-foot rolls. “By the time the cap sheet was installed, the exterior elevator had been removed and we had to take all of our materials up in the internal elevators, so it really helped to have smaller rolls.”

