TruDefinition®

DURATION®

Shingles with Patented SureNail® Technology

Tejas con tecnología patentada SureNail®

MORE THAN JUST A ROOF®
IT'S PROTECTION FOR YOUR HOME.

Your home is the center of your world—where your memories are made. And we see it as our job to make the world a better place. So, Owens Corning is relentless about reimagining and creating materials that help protect your biggest investment, your home.

When you choose Owens Corning® roofing products, you get products and systems that deliver a material difference—a difference that can be seen in the curb appeal of your roof and experienced through premium performance, protecting your home and family.

Our commitment to quality offers you peace of mind that your new roof will stand the test of time. At Owens Corning, we know that your roof does more than just cover your house, it helps protect your future memories.

PROUD TO BE CALLED THE BEST

For a decade, the Women's Choice Award has identified the best brands and companies, empowering women (and men!) to choose objectively evaluated products and services for themselves and their families. Owens Corning Roofing is proud to be named the Women's Choice Award as America's Most Recommended Roofing.

Brownwood[1]

DEEP DIMENSION
OUTSTANDING PERFORMANCE

With TruDefinition® Duration® Shingles, you don't have to sacrifice beauty for durability. Multiple granule colors and shadowing work together to create rich color and depth, resulting in a truly unique and dramatic effect. Available in popular colors with bold, lively contrast and complementing shadow lines for greater dimension, they ensure your home's roof looks as spectacular as it performs.

Beyond the impressive curb appeal, TruDefinition® Duration® Shingles feature the outstanding grip and exceptional wind performance of patented SureNail® Technology.

Duration® Shingles offer:

- The high-performance of SureNail® Technology
- A TruDefinition® Color Platform
- A Limited Lifetime Warranty*/‡ for as long as you own your home
- The protection of a 130-MPH wind warranty*
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty[3/§]

STREAKGUARD
ALGAE PROTECTION

Don't let black streaks lower the value or curb appeal of your home.
Owens Corning blends specialized copper-lined granules, developed by 3M, a leading producer of roofing granules, into our colorful shingles. This helps resist blue-green algae growth.

TruDefinition®

DURATION®

Shingles with Patented SureNail® Technology | Tejas con tecnología patentada SureNail®

Brownwood[1]

Chateau Green[1]

Colonial Slate[1]

Desert Rose[1]

Driftwood[1]

Estate Gray[1]

Midnight Plum[1/5]

Onyx Black[1]

Peppercorn[1]

Sand Castle[1]

TruDefinition®

DURATION®

Shingles with Patented SureNail® Technology | Tejas con tecnología patentada SureNail®

Sierra Gray[1]

Slatestone Gray[1]

Teak[1]

Terra Cotta[1]

Williamsburg Gray[1]

COLOR DISCLAIMER

As color experts, we know getting the shingle color right is a big part of any roofing purchase. Due to printing color variations, in addition to viewing shingle literature, we suggest you request an actual shingle sample to see how it will appear on your home and with your home's exterior elements in various natural lighting conditions. Lastly, we recommend you verify your color choice by seeing it installed on an actual home; your roofing contractor or supplier can provide a sample and may be able to direct you to a local installation.

DESCARGO DE RESPONSABILIDAD SOBRE LOS COLORES

En tanto que especialistas en color, sabemos que obtener el color de teja perfecto es una parte importante en toda compra de techos. Debido a las variaciones en los colores impresos, además de mirar folletos de tejas, le sugerimos que solicite una muestra de la teja para ver como se verá en su hogar y con los elementos externos de la vivienda bajo distintas condiciones de luz natural. Finalmente, le recomendamos que para verificar su elección de colores, vea cómo lucen las tejas ya instaladas en una vivienda; su contratista de techos o su proveedor le pueden dar una muestra e incluso indicarle dónde ver un techo ya instalado.

ONYX BLACK[1]

TERRA COTTA[1]

DESERT ROSE[1]

ESTATE GRAY™

PEPPERCORN[1]

CHATEAU GREEN[1]

TEAK[1]

MIDNIGHT PLUM[1/5]

WILLIAMSBURG GRAY®

THERE'S A LINE BETWEEN A GOOD SHINGLE AND A GREAT SHINGLE.®

It's the nailing line on your shingles. The difference between a good shingle and a great shingle is having Patented SureNail® Technology, only from Owens Corning.

HAY UNA GRAN DIFERENCIA ENTRE UNA BUENA TEJA Y UNA TEJA EXCELENTE™

Es la línea de clavado en su tejas. La diferencia entre una buena teja y una teja excelente es la tecnología patentada SureNail,® una exclusividad de Owens Corning.

Excellent Adhesive Power
Helps keep the shingle layers laminated.

Excelente poder adhesivo
Ayuda a conservar el laminado de las capas de las tejas.

Breakthrough Design
Patented SureNail® Technology is the first and only reinforced nailing zone on the face of the shingle.

Diseño innovador
La tecnología patentada SureNail® es la primera y la única que provee un área de clavado reforzada en la cara de la teja.

"No Guess" Wide Nailing Zone
This tough, engineered woven-fabric strip is embedded in the shingle to create an easy-to-see, strong, durable fastener zone.

Área de clavado ancha, sin cálculos "a ojo"
Esta banda resistente de tela mecánica tejida está incrustada en la teja para proveer un área de sujeción resistente, duradera y fácil de detectar.

Product Attributes

Warranty Length*

Limited Lifetime‡
(for as long as you own your home)

Wind Resistance Limited Warranty*

130 MPH

Algae Resistance Limited Warranty*/§

25 Years

TRU PROtection® Non-Prorated Limited Warranty* Period

10 Years

TruDefinition® Duration® Shingles Product Specifications

Size	13¼" x 39⅜"
Application Exposure	5⅝"
Shingles per Bundle	Not less than 20
Average Shingle Count per 3 Bundles	64
Average Coverage per 3 Bundles	98.4 sq. ft.

Applicable Standards and Codes

- ASTM D3462
- ASTM D228
- ASTM D3018 (Type 1)
- ICC-ES AC438#
- ASTM D3161 (Class F Wind Resistance)
- ASTM D7158 (Class H Wind Resistance)
- ASTM E108/UL 790 (Class A Fire Resistance)
- PRI ER 1378E01
- Florida Product Approval
- Miami-Dade County Product Approval[2]

Características del producto

Período de garantía*

Garantía limitada de por vida‡
(mientras sea propietario de la vivienda)

Garantía limitada de resistencia al viento*

210 km/h (130 mph)

Garantía limitada de resistencia a las algas*/§

25 años

Período no prorrateado de garantía limitada TRU PROtection®

10 años

Especificaciones de las tejas Duration® TruDefinition®

Tamaño	33.65 × 100 cm (13¼ × 39⅜ pulg)
Exposición de aplicación	14.3 cm (5⅝ pulg)
Tejas por paquete	20 como mínimo
Cantidad promedio de tejas por 3 paquetes	64
Cobertura promedio por 3 paquetes	9.14 m² (98.4 pies²)

Normas y códigos pertinentes

- ASTM D3462
- ASTM D228
- ASTM D3018 (Tipo 1)
- ICC-ES AC438#
- ASTM D3161 (Resistencia al viento, Clase F)
- ASTM D7158 (Resistencia al viento Clase H)
- ASTM E108/UL 790 (Resistencia al fuego Clase A)
- PRI ER 1378E01
- Aprobación del producto en el estado de Florida
- Producto aprobado por el condado de Miami-Dade[2]

* See actual warranty for complete details, limitations and requirements.

‡ 40-Year Limited Warranty on commercial projects.

† Owens Corning testing against competing products with wide, single-layer nailing zones when following manufacturers' installation instructions and nailing in the middle of the allowable nailing zone.

** Tru-Bond® is a proprietary premium weathering-grade asphalt sealant that is blended by Owens Corning Roofing® and Asphalt, LLC.

\+ The amount of Triple Layer Protection® may vary on shingle-to-shingle basis.

\# International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.

1 See Color Disclaimer information on page 7 for additional details.

2 Applies to all areas that recognize Miami-Dade Notice of Acceptance (NOA).

3 Shingles are algae resistant to control the growth of algae and discoloration.

§ This coverage is effective 1/1/2023; Installation must include use of an Owens Corning® Hip & Ridge product. See actual warranty for details.

For Patent information, please visit owenscorning.com/patents.

SureNail® Technology is not a guarantee of performance in all weather conditions.

4 Owens Corning® Black Sable shingle includes a patented design.

5 Owens Corning® Midnight Plum shingle includes a patent pending design.

* Consulte la garantía para obtener una lista completa de detalles, limitaciones y requisitos.

‡ Garantía limitada de 40 años para proyectos comerciales.

† Ensayos comparativos de Owens Corning con productos de la competencia con zonas de clavado ancho de una sola capa cuando se siguen las instrucciones de instalación del fabricante y se clava en el medio de la zona de clavado permitida.

** Tru-Bond® es un sellador asfáltico patentado de calidad premium formulado por Owens Corning Roofing® and Asphalt, LLC.

\+ La cantidad de Triple Layer Protection® puede variar entre una teja y otra.

\# Criterios de aceptación de los servicios de evaluación del Consejo Internacional de Códigos para tejas asfálticas alternativas.

^ Se excluyen productos para techos no fabricados por Owens Corning®, como tapajuntas, sujetadores, bases de tubos y estructuras de soporte de madera.

1 Para obtener más información, consulte el Descargo de responsabilidad sobre los colores, en la página 7.

2 Aplicable a todas las zonas que reconocen el Aviso de aceptación (NOA, Notice of Acceptance) del condado de Miami Dade.

3 Las tejas son resistentes a las algas para controlar su desarrollo y la decoloración.

§ Esta cobertura entra en vigor el 1 de enero de 2023; la instalación debe incluir el uso de un producto para limatesa y cumbrera de Owens Corning®.

Para información sobre la patente, visite www.owenscorning.com/patents.

La tecnología SureNail® no es una garantía de desempeño en todos los tipos de condiciones climáticas.

4 Las tejas Black Sable de Owens Corning® incluyen un diseño patentado.

5 La teja Owens Corning® Midnight Plum incluye un diseño con patente pendiente.

OWENS CORNING ROOFING AND ASPHALT, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OH 43659 USA

1-800-GET-PINK® | 1-800-438-7465
www.owenscorning.com

Pub. No. 10024177-A. Printed in U.S.A. May 2023.
THE PINK PANTHER™ & © 1964–2023 Metro-Goldwyn-Mayer Studios Inc.
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.
© 2023 Owens Corning. All Rights Reserved.

(Brookville, Medina, Minneapolis, Summit)

OWENS CORNING ROOFING AND ASPHALT, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OHIO, EE.UU. 43659

1-800-GET-PINK® | 1-800-438-7465
www.owenscorning.com

Pub. N.º 10024177-A. Impreso en EE.UU. Mayo de 2023.
THE PINK PANTHER™ y © 1964–2023 Metro-Goldwyn-Mayer Studios Inc.
Todos los derechos reservados. El color PINK es una marca registrada de Owens Corning. © 2023 Owens Corning. Todos los derechos reservados.

(Brookville, Medina, Minneapolis, Summit)